```
(Nucleotide) FASTA of: Hn540-1.Dna from: 1 to: 3705 September 25, 19100 23:27
REFORMAT of: Hn540-1.Dna check: 5366 from: 1 to: 3705 September 25, 19100
13:37
 (No documentation)
TO: @USER DISK: [Z8SE007]134608.$TMP Sequences: 7,218,604 Symbols: -151,773,6
69 Word Size: 6
 Sequences too short to analyze: 62 (231 symbols)
Databases searched:
   EMBL, Release 63.0, Released on 10Jun2000, Formatted on 10Jul2000
   EMBL, Release 63.0, Released on 17Jun2000, Formatted on 17Jul2000
   EMBL, Release 63.0, Released on 25Jun2000, Formatted on 25Jul2000
   EMBL, Release 63.0, Released on 6Jun2000, Formatted on 6Jul2000
   EMBL, Release 63.0, Released on 14Jun2000, Formatted on 14Jul2000
   EMBL, Release 63.0, Released on 19Jun2000, Formatted on 19Jul2000
   EMBL, Release 63.0, Released on 20Jun2000, Formatted on 20Jul2000
   EMBL, Release 63.0, Released on 11Jun2000, Formatted on 11Jul2000
   EMBL, Release 63.0, Released on 18Jun2000, Formatted on 18Jul2000
   GeneSeq, Release 40.4, Released on 22Jun2000, Formatted on 22Jun2000
   EMBL, Release 63.0, Released on 3Jun2000, Formatted on 3Jul2000 EMBL, Release 63.0, Released on 4Jun2000, Formatted on 4Jul2000 EMBL, Release 63.0, Released on 5Jun2000, Formatted on 5Jul2000 EMBL, Release 63.0, Released on 7Jun2000, Formatted on 7Jul2000
```

医囊肿 克勒 网络斯克拉克 经

Searching with both strands of the query. Scoring matrix: GenRunData: Fastadna. Cmp

Constant pamfactor used

Gap creation penalty: 16 Gap extension penalty: 4

```
z-values calculated from init
         Results sorted a
1673 scores saved that exceeded 116, Joining threshold: 91, opt. width: 16
                                                      opt
                                                              z-sc E(14420799)..
The best scores are:
                                        init1 initn
                  Begin: 1 End: 3705
Emrod:Af125521
! Af125521 Rattus norvegicus nephrin ...18525 18525 18525 25999.4
                  Begin: 458 End: 4162
Emrod: Af161715
! Af161715 Rattus norvegicus nephrin ...18452 18452 18453 25893.3
                  Begin: 24 End: 3481
Emrod:Af168466
! Af168466 Mus musculus nephrin (Nphs...14308 15239 14974 21379.6
                                                                         0
Emhum1:Af035835
                   Begin: 24 End: 3497
! Af035835 Homo sapiens nephrin (NPHS...11557 12214 12066 17125.7
Gcg_Geneseq_D:Z25338
                       Begin: 24 End: 3497
                                                                         0
! Human nephrin nucleotide sequence. ...11557 12214 12066 17125.7
                  Begin: 14708 End: 14893 Strand: -
Emhum3:Hsac2133
! Ac002133 Human DNA from chromosome ... 651 4463
                                                            6211.3
                  Begin: 169005 End: 169234
Emhtq5:Ac022315
                                                       700
                                                            3028.6
! Ac022315 Homo sapiens chromosome N/... 653 2207
Emhum6:Hsu95090 Begin: 33243 End: 33369 Strand: -
! U95090 Homo sapiens chromosome 19 c... 448 1773
                                                       455
                                                            2430.1
                                                                         0
                      Begin: 1 End: 426
Emest Mam: Aw347107
                                                                         0
! Aw347107 30251 MARC 1PIG Sus scrofa... 1431
                                               1431
                                                     1437
                                                            1983.9
Emgss6:Aq522774
                 Begin: 252 End: 437
                                                       603
                                                                         n
! Aq522774 HS_5221_B1_E10_T7A RPCI-11... 586
                                                956
                                                            1314.0
\\End of List
Hn540-1.Dna
Emrod:Af125521
ID
    AF125521
                standard; RNA; ROD; 3705 BP.
АC
     AF125521;
sv
     AF125521.1
DT
     23-NOV-1999 (Rel. 61, Created)
     23-NOV-1999 (Rel. 61, Last updated, Version 1)
DT
     Rattus norvegicus nephrin mRNA, complete cds.
DE
KW
     Rattus norvegicus (Norway rat)
OS
OC.
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
     Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OC
     [1]
RN
RΡ
     1-3705
     MEDLINE; 99419288.
RX
     Ahola H., Wang S.X., Luimula P., Solin M.L., Holzman L.B., Holthofer H.;
RA
     "Cloning and expression of the rat nephrin homolog";
RT
     Am. J. Pathol. 155(3):907-913(1999).
RL
RN
     [2]
RР
     1-3705
     Ahola H., Wang S.-X., Luimula P., Solin M.-L., Holzman L.B., Holthofer H.;
RA
RT
     Submitted (03-FEB-1999) to the EMBL/GenBank/DDBJ databases.
RL
RL
     Haartman Institute/ Division of Bacteriology and Immunology, University of
     Helsinki, P.O. Box 21 (Haartmaninkatu 3), Helsinki 00014, Finland
RL
     SPTREMBL; Q9R044; Q9R044.
DR
FΗ
    Key
                     Location/Qualifiers
FΗ
FT
     source
                     1. .3705
FT
                     /db xref="taxon:10116"
                     /organism="Rattus norvegicus"
FT
FT
                     /strain="Sprague-Dawley"
                     /tissue_type="kidney glomeruli"
FT
                     /dev_stage="one month"
FT
                     1...\overline{3}705
FT
    CDS
FT
                     /codon start=1
```

B-DOOR-EXTER	RNAL [EDITOR-[540-4.LOG]] 17.10.2000/	13:57:35
FT FT FT FT	/db_xref="SPTREMBL:Q9R044" /product="nephrin" /protein_id="AAF12734.1" /translation="MSSLTPLLLMGMLTSGLAESPVPTSAPRGFWALSENLT	·AVF CTTV
FT	KLWCGVRAPGSVVQWAKDGLLLGPNPKMPGFPRYSLEGDRAKGEFHLLIEAC	
FT	YECQVGRSELGPELVSPKVILSILVSPKVLLLTPEAGSTVTWVAGQEYVVTC	
FT	APDITFIQSGRTILDVSSNVNEGSEEKLCITEAEARVIPQSSDNGOLLVCEG	
FT	PIKASFTMNILFPPGPPVIDWPGLNEGHVRAGENLELPCTARGGNPPATLOW	
FT	STAWGTEHAQAVAHSVLVMTVRPEDHGARLSCQSYNSVSAGTQERSITLQVT	FPPSAIT
FT	ILGSVSQSENKNVTLCCLTKSSRPRVLLRWWLGGROLLPTDETVMDGLHGGH	
FT	FLVRREDNGLPLTCEAFSDAFSKETFKKSLTLNVKYPAQKLWIEGPPEGQYI	RTGTRVR
FT	LVCLAIGGNPDPSLIWFKDSRPVSEPRQPQEPRRVQLGSVEKSGSTFSRELV	'LIIGPPD
FT	NRAKFSCKAGQLSASTQLVVQFPPTNLT1LANSSALRPGDALNLTCVSISSN	IPPVNLSW
FT	DKEGERLEDVAAKPQSAPFKGSAASRSVFLRVSSRDHGQRVTCRAHSEALRE	TVSSFYR
FT	FNVLYPPEFLGEQVRAVTVVEQGQVLLPVSVSANPAPEAFNWTFRGYRLSPA	AGGPRHRI
FT LSGGALQLWNV	VTRADDGFYQLHCQNSEGTAEALLKLDVHYAPTIRALRDPTEVNVGGSV	
	Init1: 18525 Initn: 18525 Opt: 18525 z-score: 25999.4 E(): ntity in 3705 bp overlap	0
Hn540-1.Dna	10 20 30 40 50 60 ATGTCCAGTTTGACTCCCCTGCTGCTCATGGGAATGCTGACCTCAGGCCTGGCCGAGTCC	
Af125521	ATGTCCAGTTTGACTCCCCTGCTGCTCATGGGAATGCTGACCTCAGGCCTGCCGAGTCC  ATGTCCAGTTTGACTCCCCTGCTGCTCATGGGAATGCTGACCTCAGGCCTGGCCGAGTCC	
	10 20 30 40 50 60	
	70 80 90 100 110 120	<b>)</b>
Hn540-1.Dna	CCAGTCCCCACCTCAGCACCTCGAGGCTTCTGGGCTCTGTCTG	}
Af125521	CCAGTCCCCACCTCAGCACCTCGAGGCTTCTGGGCTCTGTCTG	<del>}</del>
	130 140 150 160 170 180	
Hn540-1.Dna	GAAGGGACAACAGTTAAGCTATGGTGCGGTGTCAGGGCCCCTGGCAGTGTGGTGCAGTGG	3
Af125521	GAAGGGACAACAGTTAAGCTATGGTGCGGTGTCAGGGCCCCTGGCAGTGTGGTGCAGTG	
	130 140 150 160 170 180	)
Hn540-1.Dna	190 200 210 220 230 240 GCTAAGGATGGGCTGCTTCTGGGTCCAAACCCGAAGATGCCAGGCTTCCCGAGGTACAGC	
Af125521		
A1123321	190 200 210 220 230 240	
Hn540-1.Dna	250 260 270 280 290 300 CTGGAAGGATCGTGCTAAAGGCGAGTTCCACCTGCTTATTGAAGCCTGTGACCTCAGT	i .
Af125521	CTGGAAGGAGATCGTGCTAAAGGCGAGTTCCACCTGCTTATTGAAGCCTGTGACCTCAGT	1
Hn540-1.Dna	310 320 330 340 350 360 GATGACGCAGAGTATGAATGCCAAGTCGGCCGCTCAGAGTTGGGTCCCGAGCTTGTGTCT	

B-DOOR-EXTER	NAL .	[EDITOR-	[540-4.LO	3]].	17.1	0.2000/13	57:35
		970	980	990		1010	102
Hn540-1.Dna	GCAGGGACCCAGG	AGAGAAGCAT	CACACTACAG	GTCACCTTTC	CCCCAAGCGC:	CATTACC	•
Af125521	GCAGGGACCCAGG.	AGAGAAGCAT	CACACTACAG	GTCACCTTTC	CCCCAAGCGC	CATTACC	
	970	980	990	1000	1010	1020	
	1030	1040	1050	1060	1070	1080	
Hn540-1.Dna	ATCCTGGGATCTG	TATCACAATC	GGAGAACAAG	AACGTGACCC	TTTGCTGCCT	GACCAAG	
	ATCCTGGGATCTG				 		
Af125521	ATCCTGGGATCTG	1040	1050	1060	1070	1080	
	2000						
	1090	1100	1110	1120	1130	1140	
Hn540-1.Dna	TCCAGTCGCCCAC	GGGTCCTGCT	GCGATGGTGG	111666166AC		IIIIIII	
Af125521	TCCAGTCGCCCAC	GGGTCCTGCT	GCGATGGTGG	TTGGGTGGAC	CGCAGCTGCT	GCCCACA	
	1090	1100	1110	1120	1130	1140	
	1150	1160	1170	1180	1190	1200	
Hn540-1.Dna	GATGAGACAGTCA						
		11111111111	1111111111			111111	
Af125521	GATGAGACAGTCA				ATGTCCAATCT 1190	CACATTC 1200	
	1150	1160	1170	1180	1190	1200	
	1210	1220	1230	1240.	1250	1260	
Hn540-1.Dna	TTGGTGCGGAGAG						
Af125521		; AAGACAATGO		IIIIIIIIIIIIII CACGTGTGAA	GCCTTCAGTG!	ACGCCTTC	
	1210	1220	1230	1240	1250	1260	
	1270	1280	1290	1300	1310	1320	•
Hn540-1.Dna	AGCAAGGAGACCT						
7.61.05.5.01	P.GGP.GGP.GG						
Af125521	AGCAAGGAGACCT 1270	1280	1290	1300	1310	1320	
	1330	1340	1350	1360	1370	1380	
Hn540-1.Dna	TGGATTGAGGGGC		*				
Af125521	TGGATTGAGGGGC	CCCCAGAGGG	SACAGTACATO	CCGGACTGGG	ACTCGGGTGA	GCTGGTA	
	1330	1340	1350	1360	1370	1380	
	•						

17	.10	.2000	/13	: 5	7:35	

B-DOOR-EXTERNAL

[EDITOR-[540-4.LOG]]

		230	2240	2250		2270
Hn540-1.Dna	CTCCGGGACCCTA	CTGAGGTGA	TGTTGGGGG	TTCTGTGGACA	TAGTCTGCAC	CGTTGAC
- 5105501					 TAGTCTGCAC	CGTTGAC
Af125521	2230	2240	2250	2260	2270	2280
	2200	2300	2310	2320	2330	2340
Hn540-1.Dna	2290 GCCAATCCCATCC	TCCCAGAGAT	GTTCAGCTG	GAGAGACTGG	GAGAAGAAGA	GGAGGAT
Af125521	GCCAATCCCATCC	rcccagaga	rGTTCAGCTG	JGAGAGAC1 GG	GAGAAGAAGA	.GGAGGA1
	2290	2300	2310	2320	2330	2340
	2350	2360	2370	2380	2390	2400
Hn540-1.Dna	CTGAACCTGGACG					
Af125521		 ACATGGAGA!	 AAGTTTCCAA		GGCGTCTGCG	GATTCGC
A1123321	2350	2360	2370	2380	2390	2400
	2410	2420	2430	2440	2450	2460
Hn540-1.Dna	CAAGCCAAGCTAT	CCCAGGCTG	GTGCCTACCA	GTGCATCGTGG	ACAATGGGGT	GGCTCCT
			11111111		111111111	111111
Af125521	CAAGCCAAGCTAT					
	2410	2420	2430	2440	2450	2460
	2470	2480	2490	2500	2510	2520
Hn540-1.Dna	GCAGCCAGAGGAC					
Af125521	GCAGCCAGAGGAC		TTGTCGTCCG	ATTTGCTCCCC	CAGGTGGATCA	AGCCTACT
	2470	2480	2490	2500	2510	2520
	2530	2540	2550	2560	2570	2580
Hn540-1.Dna	CCCCTAACAAAAG	TGGCTGCCG	CTGGGGACAG	CACCAGCTCAG	SCCACACTGCA	ACTGCCGT
	1111111111111					
Af125521	CCCCTAACAAAAG 2530	TGGCTGCCG 2540	CTGGGGACAG 2550	CACCAGCTCAG 2560	CCACACTGCE 2570	ACTGCCGT 2580
	2330	2340	2330	2300		
Hn540-1.Dna	2590 GCCCGGGGTGTCC	2600 CCAACATCG	2610 ACTTCACTTG	2620 GDCCDDDDCC	2630 GGGTCCCTCT	2640 PGGATCTC
mio 40 1.bita				[	411111111	
Af125521	GCCCGGGGTGTCC 2590	CCAACATCG: 2600	ACTTCACTTG 2610	GACCAAAAACG 2620	GGGTCCCTCT 2630	rggatete 2640
	2650	2660	2670	2680	2690	2700
Hn540-1.Dna	CAAGACCCCAGGT					
Af125521						
ALIZJUZI	2650	2660	2670	2680	2690	2700
	2710	2720	2730	2740	2750	2760
Hn540-1.Dna	ACCATCGCTAATG	TGTCTGCGG	CCCAGGACTA	TGCCCTCTTC	AATGCACGG	CCACCAAT
Af125521	ACCATCGCTAATG					
ALIZJJZI	2710	2720	2730	2740	2750	2760
	2770	2780	2790	2800	2810	2820
Hn540-1.Dna	GCCCTTGGCTCTG			•		
Af125521	GCCCTTGGCTCTG					
	2770	2780	2790	2800	2810	2820
	2830	2840	2850	2860	2870	2880
Hn540-1.Dna	CTGGGACTGAAGG					
Af125521	CTGGGACTGAAGG					
	•					

2840

2850

2---0

	•					
		2900	2910	2920	2930	2940
Hn540-1.Dna	TTTGATGGGGGTCTG					
Af125521						
ALIZJJZI	2890	2900	2910	2920	2930	2940
	2000	2000		2,20	2,500	23.13
	2950	2960	2970	2980	2990	3000
Hn540-1.Dna	TTCCTCCACGTGGAT					
						11111
7.6105501	mmccmccn ccmccn m	CECCET COET	CT CT CCCCT			TECT TC
Af125521	TTCCTCCACGTGGAT 2950	2960	2970	2980	2990	3000
	2930	2900	2970	2900	2990	3000
	3010	3020	3030	3040	3050	3060
Hn540-1.Dna	CCTTCTACACGATAT					GATTG
		1111111111		1111111111	[[[]]]	1111
Af125521	CCTTCTACACGATAT	•				GATTG
	3010	3020	3030	3040	3050	3060
	2070	2000	2000	2100	21:10	2100
Hn540-1.Dna	3070 ACGGACAAGGGGATC	3080	3090	3100	3110	3120
mn540-1.Dna	ACGGACAAGGGGATC	CAGGICICC	FICACTACCCC	AGGCCCGAC	CAGGCTCCTC	BAAGAC
		1111111111		111111111		11111
Af125521	ACGGACAAGGGGATC					
	3070	3080	3090	3100	3110	3120
	3130	3140	3150	3160	3170	3180
Hn540-1.Dna	ACAGACCACCAGCTG					
Af125521						
AL125521	3130	3140	3150	3160	3170	3180
	3130	3140	3130	3100	3170	3100
	3190	3200	3210	3220	3230	3240
Hn540-1.Dna	GTGCTCTTTGCAGTT					
D #10 E # 0 1						
Af125521	GTGCTCTTTGCAGTT 3190	3200	3210	3220	3230	3240
	3190	3200	3210	3220	3230	3240
	3250	3260	3270	3280	3290	3300
Hn540-1.Dna	CTCTGGCGGAGAAGA	CTGAGGCGCC	CTTGCTGAGGA	GATCTCAGAC	GAAGACAGAG	CAGGG
Af125521	CTCTGGCGGAGAAGA					
•	3250	3260	3270	3280	3290	3300
	•	÷				
	3310	3320	3330	3340	3350	3360
Hn540-1.Dna	TCGGAGGACAGGATC					
Af125521	TCGGAGGACAGGATC	AGGAATGAA1	TATGAGGAGAG	TCAGTGGACT	rggggaccgg	SACACG
	3310	3320	3330	3340	3350	3360
	2272					
Un540 1 Dno	3370	3380	3390	3400	3410	3420
Hn540-1.Dna	AGAAGCTCCACGGTT					
Af125521	AGAAGCTCCACGGTT					
	NONTHOUS CONCOUNTS	ACCACACAC	AAGI GGACCC	AAATTACTAC	CICCAIGAGGG	ACTIC
	3370	3380	3390	3400	3410	3420
						- <del>-</del>
	. 3430	3440	3450	3460	3470	3480
Hn540-1.Dna	AGCCCCAGCTTCCC					
n £105503						
Af125521	AGCCCCAGCTTCCC					
	3430	3440	3450	3460	3470	3480
	, 3490	3500	3510	3520	3530	3540
Hn540-1.Dna	GACATGGCCTTCCCC					

```
111111111111111111
                                                         GACATGGCCTTCCCCGGACACCTGCATGATGAAGTGGAGAGCCTATGGCCCGCCTGGG
Af125521
                           3500
                                                        3530
                  3490
                                     3510
                                              3520
                                                                  3540
                           3560
                  3550
                                     3570
                                               3580
                                                        3590
                                                                  3600
Hn540-1.Dna
            GCCTGGGGACCCCTCTATGATGAAGTACGAATGGACCCCTATGACCTTCGCTGGCCTGAG
            GCCTGGGGACCCCTCTATGATGAAGTACGAATGGACCCCTATGACCTTCGCTGGCCTGAG
Af125521
                  3550
                           3560
                                     3570
                                               3580
                                                        3590
                                                                  3600
                  3610
                           3620
                                               3640
                                                        3650
                                     3630
                                                                  3660
            GTCCAATGTGAGGATCCGAGGGGAATCTACAACCAGGTGGCAGCAGACATGGATGCTGTG
Hn540-1.Dna
            Af125521
            GTCCAATGTGAGGATCCGAGGGGAATCTACAACCAGGTGGCAGCAGACATGGATGCTGTG
                                              3640
                  3610
                           3620
                                     3630
                                                        3650
                                                                  3660
                  3670
                           3680
                                     3690
            GAAGCTAGCTCTCTGCCGTTTGAGCTGAGGGGGACATCTGGTGTGA
Hn540-1.Dna
            Af125521
            GAAGCTAGCTCTCTGCCGTTTGAGCTGAGGGGACATCTGGTGTGA
                  3670
                           3680
                                     3690
                                               3700
Hn540-1.Dna
Emrod: Af161715
               standard; RNA; ROD; 5820 BP.
ID
    AF161715
    AF161715;
AC.
sv
    AF161715.1
DT
    12-DEC-1999 (Rel. 62, Created)
    12-DEC-1999 (Rel. 62, Last updated, Version 1)
DT
DE
    Rattus norvegicus nephrin mRNA, complete cds.
KW
os
    Rattus norvegicus (Norway rat)
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC
OC
    Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
RN
    [1]:
RP
    1-5820
    Kawachi H., Koike H., Yaoita E., Yamamoto T., Orikasa M., Shimizu F.;
RΑ
    "Cloning of rat nephrin and its expression and localization in proteinuric
RT
RT
    states";
    Unpublished.
RL
RN
    [2]
RP
    1 - 5820
RA
    Kawachi H., Koike H., Yaoita E., Yamamoto T., Orikasa M., Shimizu F.;
RT
RL
    Submitted (22-JUN-1999) to the EMBL/GenBank/DDBJ databases.
RL
    Department of Cell Biology, Institute of Nephrology, Niigata University
    School of Medicine, 1-757 Asahimachi-dori, Niigata 951-8510, Japan
RL
    SPTREMBL; Q9QXX7; Q9QXX7.
DR
FΗ
                   Location/Qualifiers
    Key
FH
                    1. .5820
FT
    source
                    /db xref="taxon:10116"
FT
FT
                    /organism="Rattus norvegicus"
                    /strain="Wistar"
FT
FT
                    /tissue_type="glomeruli"
                   404..4\overline{1}62
FT
    CDS
FT
                    /codon start=1
                   /db xref="SPTREMBL:Q9QXX7"
FT
FT
                   /product="nephrin"
FT
                   /protein_id="AAF14884.1"
FT-
                   /translation="MGAKRVTVRGARTSPIHRTSSLTPLLLMGMLTSGLAESPVPTSAP
```

	280	290	300	310	320	330
Hn540-1.Dna	CACCTGCTTATTGA	AGCCTGTGAG	CCTCAGTGATG	ACGCAGAGTA	TGAATGCCAA	GTCGGC
				iiiiiiiiii		11111
Af161715	CACCTGCTTATTGA	AGCCTGTGA	CCTCAGTGATG	ACGCAGAGTA	TGAATGCCAA	AGTCGGC

230

680

Hn540-1.Dna

670

Af161715

240

700

250

710

CTCAGCTGTCAGTCCTACAACAGCGTGTCTGCAGGGACCCAGGAGAGAAGCATCACACTA

B-DOOR-EXTERNAL [EDITOR-[540-4.LO	OG]]	3:57:35
-----------------------------------	------	---------

B-DOOK-EXTE	CANDII		IBDITOR L.	7.1003	1	17.10.	2000/13.37.33
Af161715	CTCAG 1390						
Hn540-1.Dna Af161715	11111			TTACCATCC1 1480	1030 rgggatctgt#           rgggatctgt# 1490		 GAGAAC
Hn540-1.Dna		1111111111	 TGCTGCCTGA	CCAAGTCCAC	1090  GTCGCCCACGO                       GTCGCCCACGO  1550		
Hn540-1.Dna Af161715	11111	111111111	111111111	ПППППП	1150 AGACAGTCATO            AGACAGTCATO 1610		11111
Hn540-1.Dna Af161715		111111111	1111111111		1210 FGCGGAGAGA           FGCGGAGAGAA 1670		11111
Hn540-1.Dna Af161715	11111		TTCAGTGACG		1270 AGGAGACCTTC           AGGAGACCTTC		
Hn540-1.Dna Af161715	11111	111111111			1330 TTGAGGGGCCC            TTGAGGGGCCC 1790		
Hn540-1.Dna		GACTGGGACT			1390 rggccatcgg/ 		
Af161715	ATCCG 1810	1820	1830	1840	TGGCCATCGGA 1850	1860	
Hn540-1.Dna Af161715		111111111	111111111	111111111	1450 GCGAGCCCCGC            GCGAGCCCCGC		11111
Hn540-1.Dna	CGGCG	1480 TGTGCAGCTG	1490 GGCAGTGTGG	1500 AGAAGTCCGG	1510 GAGCACTTT	1520 CTCCCGCGAGG	1530 CTGGTG
Af161715							
Hn540-1.Dna Af161715			111111111	1111111111	1570 CTCCTGCAAG           CTCCTGCAAG 2030	111111111	

1610

1620

Hn540-1.Dna	GCGTCTACGCAGCT	GGTGGTGCAGT	TCCCCCAAC	CAACCTGACC	ATCCTGGCC	AACTCG
Af161715	GCGTCTACGCAGCT 2050 2060	GGTGGTGCAGT 2070	TCCCCCAAC	CAACCTGACC 2090	ATCCTGGCCA 2100	AACTCG
	1660	1670	1680	1690	1700	1710
Hn540-1.Dna	TCCGCGCTGCGCCC					
Af161715	TCCGCGCTGCGCCC					
Hn540-1.Dna	1720 CCAGTCAACTTGTC	1730 TTGGGACAAGG	1740 SAAGGAGAGAG	1750 GCTGGAAGAT	1760 GTGGCTGCA	1770 AAACCC
Af161715						
	2170 2180	2190	2200	2210	2220	
Hn540-1.Dna	1780 CAGAGTGCACCGTT	1790 CAAAGGCTCCG	1800 CTGCATCCAG	1810 GAGTGTTTT	1820 CTCAGAGTG	1830 TCATCC
Af161715						
	2230 2240	2250	2260	2270	2280	
	1840	1850	1860	1870	1880	1890
Hn540-1.Dna	CGAGACCACGGTCA					
Af161715	CGAGACCACGGTCA 2290 2300			CAGCGAGGCA 2330	ACTCCGTGAA 2340	ACCGTG
	1900	1910	1920	1930	1940	1950
Hn540-1.Dna	AGCTCCTTCTACCG					
Af161715	AGCTCCTTCTACCG		TGTATCCTCC.		GGGGAGCAA	STCCGG
	2350 2360	2370	2380 :	2390	2400	
Hn540-1.Dna					-	
Af161715		GGAGCAGGGC	CAGGTGCTGCT	GCCGGTGTC	GTGTCCGCT	
	2410 2420	• •	2440	2450	2460	
Hn540-1.Dna	2020 GCCCCGAGGCCTT			2050 CCGCCTCAGO	2060 CCAGCTGGG	2070 GGTCCC
. 61 61 71 7	11111111111111					
Af161715	GCCCCGAGGCCTT 2470 2480	CAACTGGACCT 2490	TCCGAGGCTA 2500	CCGCCTCAGC 2510	CCAGCTGGG 2520	GGTCCC
11: 5 40 1 B	2080	2090	2100	2110	2120	2130
Hn540-1.Dna	CGGCACCGTATCCT	11111111	111111111			11111
Af161715	CGGCACCGTATCCT 2530 2540	2550	CTCTGCAGCT 2560	GTGGAATGTG 2570	ACCCGAGCTO 2580	GACGAT
	2140	2150	2160	2170	2180	2190
Hn540-1.Dna	GGCTTTTATCAGCT					
Af161715					GCGCTGTTG	
	2550 2600	2010	2020	∠ ७ J U	2640	
	2200	2210	2220	2230	2240	2250

Af161715 2650

CATTATGCTCCCACCATCCGTGCCCTCCGG GAC 2660 2670 2680 2690

CCTACTGAGGTGAATGTTGGG 2700

	2260	2270	2280	2290	2300	2310
Hn540-1.Dna	GGTTCTGTGGACATA					
Af161715	GGTTCTGTGGACATA					
	2320	2330				2270
Hn540-1.Dna	TGGGAGAGACTGGG	AGAAGAAGAG				
Af161715						
	2770 2780	2790	2800	2810	2820	
	2380	2390	2400	2410	2420	2430
Hn540-1.Dna		[		1111111111		11111
Af161715	AAGGGATCCACGGGG	GCGTCTGCGGF 2850	ATTCGCCAAGC 2860	CAAGCTATCO 2870	CCAGGCTGGT 2880	GCCTAC
	2440	2450	2460	2470	2480	2490
Hn540-1.Dna	CAGTGCATCGTGGAC					
Af161715	CAGTGCATCGTGGAC	CAATGGGGTGG 2910				GTCGTC
			2920	2930	2940	
Hn540-1.Dna	2500 CGATTTGCTCCCAO	2510 GGTGGATCAGO	2520 CCTACTCCCCT	2530 AACAAAAGTG	2540 GCTGCCGCT	2550 GGGGAC
Af161715						
	2950 2960	2970	2980	2990	3000	
Hn540-1.Dna	2560 AGCACCAGCTCAGCO	2570 CACACTGCACT	2580 GCCGTGCCCG	2590 GGGTGTCCCC	2600 CAACATCGAC	2610 TTCACT
	11111111111111					
Af161715	AGCACCAGCTCAGCC	CACACTGCACT 3030	GCCGTGCCCG 3040	GGGTGTCCCC 3050	AACATCGAC' 3060	TTCACT
	2620	2630	2640	2650	2660	2670
Hn540-1.Dna					11111111	11111
Af161715	TGGACCAAAAACGGG	GTCCCTCTGG 3090	ATCTCCAAGA 3100	CCCCAGGTAC 3110	CACAGAGCAC 3120	AGGTAC
	2680	2690	2700	2710	2720	2730
Hn540-1.Dna						
Af161715		CCACAGCAGCC	TCTTGACCAT	CGCTAATGTC	TCTGCGGCC	
		3150	3160	3170	3180	•
Hn540-1.Dna	2740 TATGCCCTCTTCAAA					
Af161715						
	3190 3200	3210	3220	3230	3240	
•	2800	2810	2820	2830	2840	2850
Hn540-1.Dna	CTCGTCAGCATCAGC	CGCCCTGACC	CTCCACTGGGA	ACTGAAGGTT	GTCAGCATA	AGCCCT
Af161715	CTCGTCAGCATCAGC	CGCCCTGACC	CTCCACTGGG	ACTGAAGGTT	GTCAGCATA	
	3250 3260	3270	3280	3290	3300	

```
TATCACCAAGGTGCTGAAGGCGAGGACATG
                                                      TTCCCCGGACACCTGCATGAT
       Af161715
                   GTG
                   3920
                            3930
                                     3940
                                              3950
                                                       3960
          3910
                         3530
                 3520
                                  3540
                                           3550
                                                    3560
Hn540-1.Dna GAAGTGGAGAGAGCCTATGGCCCGCCTGGGGCCTGGGGACCCCTCTATGATGAAGTAÇGA
           GAAGTGGAGAGCCTATGGCCCGCCTGGGGCCTGGGGACCCCTCTATGATGAAGTACGA
Af161715
                   3980
                            3990
          3970
                                     4000
                                              4010
                 3580
                         3590
                                   3600
                                           3610
                                                    3620
          ATGGACCCTATGACCTTCGCTGGCCTGAGGTCCAATGTGAGGATCCGAGGGGAATCTAC
Hn540-1.Dna
           ATGGACCCCTATGACCTTCGCTGGCCTGAGGTCCAGTGTGAGGATCCGAGGGGAATCTAC
Af161715
                   4040
                            4050
                                     4060
                                              4070
                                                       4080
          4030
                         3650
                 3640
                                  3660
                                           3670
                                                    3680
Af161715
          4090
                   4100
                            4110
                                     4120
                                              4130
                 3700
           GGACATCTGGTGTGA
Hn540-1. Dna
           111111111111111
Af161715
           GGACATCTGGTGTGAGACGCTTCACAACACCCGTTTCCTACAGCCCTGGAGAAGATGTGA
                                              4190
          4150
                   4160
                            4170
                                    4180
                                                       4200
Hn540-1.Dna
Emrod: Af168466
    AF168466
              standard; RNA; ROD; 3729 BP.
ID
АC
    AF168466;
sv
    AF168466.1
    21-OCT-1999 (Rel. 61, Created)
DT
    21-OCT-1999 (Rel. 61, Last updated, Version 1)
DT
    Mus musculus nephrin (Nphs1) mRNA, complete cds.
DE
KW
OS
    Mus musculus (house mouse)
OC
    Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC
    Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
RN
    [1]
RΡ
    1 - 3729
RX
    MEDLINE; 99436348.
RA
    Holzman L.B., St John P.L., Kovari I.A., Verma R., Holthofer H.,
RA
    Abrahamson D.R.;
    "Nephrin localizes to the slit pore of the glomerular epithelial cell";
RT
RL
    Kidney Int. 56(4):1481-1491(1999).
RN
    [2]
RΡ
    1-3729
RA
    Holzman L.B., St John P.L., Kovari I.A., Verma R., Holthofer H.,
RΑ
    Abrahamson D.R.;
RT
RL
    Submitted (12-JUL-1999) to the EMBL/GenBank/DDBJ databases.
RL
    Internal Medicine/Nephrology, University of Michigan Medical School, 1560
    MSRB II, P.O. Box 0676, Ann Arbor, MI 48109-0676, USA
RL
DR
    SPTREMBL; Q9QZS7; Q9QZS7.
                  Location/Qualifiers
FΗ
    Key
FΗ
FT
    source
                  1. .3729
FT
                  /db xref="taxon:10090"
FT
                  /organism="Mus musculus"
FT
    CDS
                  1. .3729
FT
                  /codon start=1
FT
                  /db xref="SPTREMBL:Q9QZS7"
```

ly member" /note="immunoglobulin superf /gene="Nphs1" FT /product="nephrin" FT/protein id="AAF03368.1" FT /translation="MALGTTLRASLLLAGMLTTGLAQSPVPTSAPRGFWALSENLTVVE FT GSTIKLWCGVRAPGSVVQWAKDGLLLGPNPKIPGFPRYSLEGDSAKGEFHLLIEACDLS FT DDAEYECQVGRSELGPELVSPRVILSVLVPPKVLQLTPEAGSTVTWVAGQEYVVTCVSG FT GAKPAPDIIFIQGGRTVEDVSSSVNEGSEEKLFFTEAEARVTPQSSDNGQLLVCEGSNP FTALATPIKASFTMNILFPPGPPVIDWPGLNEGHVRAGENLELPCIARGGNPPATLQWLKN FT GKPVSIAWGTEHAOAVAHSVLVMTVRPEDHGARLSCOSYNSVSAETQERSITLQVTFPP FT SAVTILGSTSOSENKNVTLCCLTKSSRPRVLLRWWLGGRQLLPTDETVMDGLHGGHISM FT SNLTLLVKREDNGLSLTCEAFSDAFSKETFKKSLTLNVKYPAQKLWIEGPPEGQSIRTG FTTRVRLVCLAIGGNPE PSLTWLKDSRPVNDPROSQE PRRVQLGSVEKSGSTFSRELVLII FT GPPDNLAKFSCKAGQLSASTQLVVQFPPTNLTILANSSALRPGDALNLTCVSISSNPPV FT FTNLSLDKEGERLDDVAAKPQSAPFKGSAASRSVFLRVSSRDHGHRVTCRAHSEALRETVS SFYRLNVLYPPEFLGEOVRAVTVVEQGQALLPVSVSANPAPEAFNWTFRGYRLSPAGGP Init1: 14308 Initn: 15239 Opt: 14974 z-score: 21379.6 E(): 0 SCORES 92.6% identity in 3458 bp overlap 20 30 40 Hn540-1.Dna ATGTCCAGTTTGACTCCCCTGCTGCTCATGGGAATGCTGACCTCAGGC Af168466 ATGGCCTGGGGACGCTCAGGGCTTCTCTGCTGCTCGCGGGAATGCTGACCACGGGC 50 60 10 20 40 30 80 90 100 Hn540-1.Dna CTGGCCCAGTCGCCACCTCAGCACCTCGAGGCTTCTGGGCTCTATCTGAAAAC Af168466 80 90 100 110 . 120 110 130 160 140 150 Hn540-1, Dna CTGACTGCGGTGGAAGGGACAACAGTTAAGCTATGGTGCGGTGTCAGGGCCCCTGGCAGT Af168466 CTGACTGTGGTGGAAGGGTCGACAATTAAGCTGTGGTGTGGCGTCAGGGCCCCCGGCAGT 130 140 170 180 150 160 170 190 200 210 GTGGTGCAGTGGGCTAAGGATGGGCTGCTTCTGGGTCCAAACCCGAAGATGCCAGGCTTC Af168466 GTGGTGCAGTGGGCTAAGGATGGGCTGCTTCTGGGTCCAAACCCTAAGATTCCAGGCTTC 190 200 220 230 240 210 230 240 250 260 270 Hn540-1, Dna CCGAGGTACAGCCTGGAAGGAGATCGTGCTAAAGGCGAGTTCCACCTGCTTATTGAAGCC Af168466 CCAAGGTACAGCCTGGAAGGAGACAGTGCTAAAGGTGAGTTCCACCTGCTTATTGAAGCC 250 260 270 280 290 300 320 Hn540-1.Dna TGTGACCTCAGTGATGACGCAGAGTATGAATGCCAAGTCGGCCGCTCAGAGTTGGGTCCC

GTGCTGGTGATGACTGTACGACCTGAAGACCATGGAGCTCGGCTCAGCTGTCAGTCCTAC GTGCTGGTGATGACCGTTCGACCTGAAGACCACGGAGCTCGGCTCAGCTGTCAGTCCTAC Af168466 

B-DOOR-EXTER	NAL .		EDITOR-[54	10-4.LOG]]		17.10.	2000/1
	•	950	960	970	980	990	1000
Hn540-1.Dna						GGTCACCTTTC	
				! !!!!!!!!			1111
Af168466	AACAGTG	TGTCTGCAG			CACTCTGCA	GGTCACCTTTC	
		970	980	990	1000	1010	1020
1	010	1020	1030	1040	1050	1060	
Hn540-1.Dna						GAACGTGACCC	
Af168466						 AAATGTGACCO	
ALIOOTOO		030		1050	1060	1070	1080
1	070	1080	1090	1100	1110	1120	
Hn540-1.Dna				1100 GGTCCTGCTO		1120 GTTGGGTGGAC	CGGCAG
Af168466						GTTGGGTGGAC	
141100400		090		1110	1120	1130	1140
1	130	1140	1150	1160	1170	1180	
Hn540-1.Dna						CCACATCTCC#	ATGTCC
Af168466				GGATGGCCTC	GCATGGTGG( 1180	CCACATCTCCA 1190	1200
	*	100	1100	1170	1100	1130	1200
1	190	1200	1210	1220	1230	1240	
Hn540-1.Dna	AATCTCA	.CATTCTTGG	TGCGGAGAGA	AGACAATGG	CTGCCCCT	CACGTGTGAAG	CCTTC
Af168466		.CACTCTTGG 210		AGACAATGG0 1230	CCTGTCCCT( 1240	CACCTGCGAAG 1250	1260
	_	210	1220	1230	1240	1230	1200
	250	1260	1270	1280	1290	1300	
Hn540-1.Dna						GAATGTGAAA1 	
Af168466	AGTGATG	CCTTCAGCA	AGGAGACCTT	CAAGAAGTCA	ACTCACCTT	GAATGTAAAAT	PACCCG
	1	27.0	1280	1290	1300	1310	1320
				<b>:</b>			
	310	1320	1330	1340	1350	1360	CECCC
Hn540-1.Dna						CCGGACTGGGA	
Af168466	GCCCAGA	AGCTGTGGA	TTGAGGGACC	CCCAGAGGG	GCAGAGCAT	CCGGACTGGA	ACTCGG
	1	330	1340	1350	1360	1370	1380
1	370	1380	1390	1400	1410	1420	
Hn540-1.Dna						CCTCATCTGGT	
Af168466						CCTCACCTGGC	
		200	7.400	1 4 1 0			1 4 4 0
	1	390	1400	1410	1420	1430	1440
	430	1440	1450	1460	1470	1480	
Hn540-1.Dna						GCGTGTGCAGC 	
Af168466						GCGTGTGCAGC	
	1	450	1460	1470	1480	1490	1500
1	490	1500	1510	1520	1530	1540	
Hn540-1.Dna					CTGGTGTT		
			1 111111111				
Af168466	AGTGTGG	AGAAGTCCG	GCAGCACTTT	CTCCCGCGAG	CTGGTGCT	GATCATAGGCC	CGCCG
	1.	510	1520	1530	1540	1550	1560
1 1	550	1560	1570	1580	1590	1600	
Hn540-1.Dna	GACAACC	GAGCCAAGT	TCTCCTGCAA	GGCGGGTCAG	CTCAGTGC	STCTACGCAGC	
				пішни			11111

B-DOOR-EXTER	NAL	1.5	DITOR-[54	0-4.106]]		1.7.10.2	2000/13.3
11-540 1 Dno				2230 FGAGGTGAAT	2240	250	2260
Hn540-1.Dna	11111111	11111	11111111		11111111	1111111	11111
Af168466	ACCATCCG'			rgaggtgaate 2250	GTTGGGGGTT 2260	CTGTGGATA: 2270	PAGTC 2280
2	270	2280	2290	2300	2310	2320	
Hn540-1.Dna				CCAGAGATG			
Af168466	TGCACCGT	CGATGCCAA	TCCCATCCT	CCCAGAGATG'	TTCAGTTGGG	AGAGGCTGG	GGGAA
_	, 22					2330	2340
2 Hn540-1.Dna	GAAGAGGA			2360 CATGGAGAAA			
Af168466				 CATGGAGAAG			
	23	50 2	360 2	2370 :	2380	2390	2400
2	390	2400	2410	2420	2430	2440	
Hn540-1.Dna				CCAGGCTGGT			
Af168466	CTGCGGAT'	TCGCCAAGC	CAAGCTGTC	CCAGGCTGGC	GCTTACCAGT	GCATCGTGG	ACAAC
	24				2440	2450	2460
2 Hn540-1.Dna		2460 FCCTGCAGC	2470 CAGAGGACT	2480 GGTTCGTCTT	2490 GTCGTCCGAT	2500 TTGCTCCCC	AGGTG
Af168466							
	24			•	2500	2510	2520
2		2520	2530		2550	2560	2020
Hn540-1.Dna	GATCAGCC'	TACTCCCCT	AACAAAAGT	GCTGCCGCT	GGGGACAGCA	CCAGCTCAG	CCACA
Af168466	GATCATCC	PACTCCCCT	GACGAAAGT	 GGCTGCTGCT			
	25:	•			2560	2570	2580
2 Hn540-1.Dna		2580 CCGTGCCCG	2590 GGGTGTCCC	2600 CAACATCGAC	2610 FTCACTTGGA	2620. CCAAAAACG	GGGTC
Af168466	CTCCACTGG 259			CAACATCGAC	rtcacttgga 2620	CCAAAAATG 2630	GGGTC 2640
2	630 2	2640	2650	2660-	2670	2680	
Hn540-1.Dna				CACAGAGCACA	AGGTACCACC	AGGGTGTTG	
Af168466	CCTCTGGA	rctccaaga	CCCCAGGTA	CACAGAGCACA	AAGTACCACC	AGGGTGTGG	FCCAC
	265	_				2690	2700
2 Hn540-1.Dna			. 2710 CGCTAATGT0	2720 FTCTGCGGCC	2730 CAGGACTATG	2740 CCCTCTTCA	AATGC
Af168466	AGCAGCCTC 271	CCTGACCAT'	TGCTAATGT	TCTGCAGCC	CAGGACTACG	CCCTCTTCAI 2750	AATGC 2760
2	750 2	2760	2770	2780	2790	2800	
Hn540-1.Dna	ACGGCCACO	CAATGCCCT'	TGGCTCTGAC	CACACCAACA	TCCAGCTCG	TCAGCATCAG	SCCGC
Af168466	ACAGCCACC	CAATGCCCT	TGGTTCGGAC	CACACCAAC	TCCAGCTCG	TCAGCATCAG	SCCGT
	. 277	_				2810	2820
		2820	2830	2840	2850	2860	
Hn540-1.Dna	CCTGACCCT	CCACTGGG!	ACTGAAGGTT 	GTCAGCATAA	GCCCTCACT	CGGTGGGGCT	rggag 

Af168466 CCT

CTCCACTGGGACTGAAGGTTGTGAGCGTG 2840 2850 2860 CCTCACTCGGTAGGACTGGAG

```
3500
                                                                  3510
                        34
                                  3480
                                             3490
                                                                             3520
             GGTGCTGAAGGCGAGACATGGCCTTCCCCGGACACCTGCATGATGAAGTGGAGAGAGCC
Hn540-1.Dna
              GCCTTCACAGGTATTGAAGATGAGGACATGGCCTTCCCCGGACACCTGTATGACGAGGTG
Af168466
                    3490
                              3500
                                         3510
                                                    3520
                                                              3530
Hn540-1.Dna
Emhum1:Af035835
                standard; RNA; HUM; 4285 BP.
     AF035835
TD
AC
     AF035835;
sv
     AF035835.1
     08-APR-1998 (Rel. 55, Created)
DТ
     03-MAR-2000 (Rel. 62, Last updated, Version 3)
Homo sapiens nephrin (NPHS1) mRNA, complete cds.
DТ
DΕ
KW
OS
     Homo sapiens (human)
     Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC
OC
     Eutheria; Primates; Catarrhini; Hominidae; Homo.
RN
     [1]
     1-4285
RΡ
     MEDLINE; 98325371.
RX
RA
     Kestila M., Lenkkeri U., Mannikko M., Lamerdin J., McCready P., Putaala H.,
RA
     Ruotsalainen V., Morita T., Nissinen M., Herva R., Kashtan C.E.,
     Peltonen L., Holmberg C., Olsen A., Tryggvason K.;
RA
     "Positionally cloned gene for a novel glomerular protein--nephrin--is
RT
RT
     mutated in congenital nephrotic syndrome";
     Mol. Cell 1(4):575-582(1998).
RL
RN
     [2]
RΡ
     1-4285
     Lenkkeri U., Kestila M., Mannikko M., Lamerdin J., McCready p., Putaala H.,
RA
RA
     Ruotsalainen V., Morita T., Nissinen M., Herva R., Kashtan C.E.,
RA
     Peltonen L., Holmberg C., Olsen A., Tryggvason K.;
RТ
     Submitted (26-NOV-1997) to the EMBL/GenBank/DDBJ databases.
RL
RL
     Biochemistry, University of Oulu, Linnanmaa, Oulu 90570, Finland
     SPTREMBL; 060500; 060500.
DR
                      Location/Qualifiers
FH
     Key
FH
FT
     source
                      1. .4285
                      /chromosome="19"
FT
FT
                      /db xref="taxon:9606"
FT
                      /organism="Homo sapiens"
FT
                      /map="19q13.1"
                      1. .3726
FT
     CDS
FT
                      /codon start=1
FT
                      /db xref="SPTREMBL:060500"
                      /gene="NPHS1"
FT
                      /product="nephrin"
FТ
FT
                      /protein id="AAC39687.1"
FT
                      /translation="MALGTTLRASLLLLGLLTEGLAQLAIPASVPRGFWALPENLTVVE
FT
                      GASVELRCGVSTPGSAVQWAKDGLLLGPDPRIPGFPRYRLEGDPARGEFHLHIEACDLS
FT
                      DDAEYECQVGRSEMGPELVSPRVILSILVPPKLLLLTPEAGTMVTWVAGQEYVVNCVSG
FT
                      DAKPAPDITILLSGQTISDISANVNEGSOOKLFTVEATARVTPRSSDNROLLVCEASSP
FT
                      ALEAPIKASFTVNVLFPPGPPVIEWPGLDEGHVRAGQSLELPCVARGGNPLATLQWLKN
FT
                      GQPVSTAWGTEHTQAVARSVLVMTVRPEDHGAOLSCEAHNSVSAGTOEHGITLOVTFPP
FT
```

SAIIILGSASQTENKNVTLSCVSKSSRPRVLLRWWLGWRQLLPMEETVMDGLHGGHISM

SNLTFLARREDNGLTLTCEAFSEAFTKE

KSLILNVKYPAQKLWIEGPPEGQKLRI

0

FT

FT
TRVRLVCLAIGGNPEPSLMWYKDSRTVTESRLPQESRRVHLGSVEKSGSTFSRELVLVT

SCORES 83.1% ide		.1557 Init 3474 bp o	tn: 12214 verlap	Opt: 12066	z-score:	17125.7 E	():
Hn540-1.Dna		ATGT	10 CCAGTTTGACT	20 PCCCCTGCTG(			AGGC
Af035835	ATGGCCC	TGGGGACGA 10	CGCTCAGGGC 20				
Hn540-1.Dna	11711	114 1 1	70 FCCCCACCTCA          FTCCTGCCTCC	1 11 11			1111
	110	70 120	130	90	100	110 160	120
Hn540-1.Dna Af035835	11111	111111	GGACAACAGT 				1111
	1.00	130		150	160	170	180
Hn540-1.Dna			190 AGGATGGGCT0 			220 AGATGCCAGG 	
Af035835	GCGGTGC	CAATGGGCCA 190	AAGATGGGCTO 200	GCTCCTGGGC0 210	CCCGACCCCAC 220	GGATCCCAGG 230	CTTC 240
Hn540-1.Dna			250 AAGGAGATCG: 				
Af035835	CCGAGGT	ACCGCCTGG 250	AAGGGGACCC 260	FGCȚAGAGGT( 270	GAATTCCACCT 280	rgcacatcga 290	GGCC 300
Hn540-1.Dna Af035835	1111111	1111 1111	310 ACGCAGAGTAT            ACGCGGAGTAT				111
	350	310	320	330	340	350	360
Hn540-1.Dna	GAGCTTG	TGTCTCCTA	AAGTAATCCT	CTCCATTCTAC	TTTCCCCA	AGGTGCTTCT	GTTG
Af035835			 GAGTGATCCTO 380				
Hn540-1.Dna Af035835	11111		430 GCACAGTGACO             CCATGGTCACO 440	111111111			
	470	480	490	500	510	520	.00
Hn540-1.Dna Af035835	 GTGTCTG		ACCAGCACCI               GCCAGCACCI   500	11111111	1 111 111	11111 11	111
	530	540	550	560	570	580	

Hn5	40-1.Dna	a TTG	TCTCCTCCAA	TGTGAATGA	GGGATCAGAG	JAAACTC	rgcatcacag;	AGGCC
Af035835		וווו ו	 AACGTGAACGA	III III				-
A1033633	TCTGAC	550	560	570	580	590	600	
	590	600	610	620	630	640		
Hn540-1.Dna	GAAGCC	AGGGTGATA	CCCCAGAGCT	CGGATAACGC	GCAGTTACTO	GTCTGTGAG	GGTTCC	
Af035835			CCCGGAGCTC					
		610	620	630	640	650	660	
	650	660	670	680	690	700		-
Hn540-1.Dna			ACTCCCATAA					
Af035835	AGCCCA	II IIII .GCACTGGAG	 GCCCCCATCA	GGCCTCAT	CACCGTGAAT	  GTTCTGTTC	CCTCCA	
		670	680	690	700	710	720	
H-F40 1 D	710	720	730	740	750	760		-
Hn540-1.Dna			GATTGGCCAGO				GAGAAC 	
Af035835		CCTGTCATC	GAGTGGCCAG	CCTGGATGA	AGGGGCACGT	GCGGGCAGGA	.CAGAGC	
		730	740	750	760	770 .	780	
W-540 1 Bu -	770	780	790	800	810	820		
Hn540-1.Dna			ACAGCCAGAGO					
7.5025025			•					
Af035835	TTGGAG	790	GTGGCCCGAGO 008	GGGTAATCO 810	CCTTAGCCACA 820	ACTGCAGTGG 830	CTGAAG 840	
Hn540-1.Dna	830 AACGGT	840 'AAACCAGTG'	850 FCCACAGCCT(	860 GGGCACCGA	870 AGCATGCCCAC	880 GCAGTGGCC	CACAGT	
	11 11	1 11 111		111111 11	111 11111		1 1111	
Af035835	AATGGC	CAGCCGGTG' 850	FCCACAGCGT( 860	GGGCACAGA 870	AGCACACCCAC 880	GCGGTGGCC 890	CGCAGT 900	
							300	
Hn540-1.Dna	890 GTGCTG	900 GTGATGACT	910 STACGACCTGA	920 AGACCATGO	930 AGCTCGGCTC	940 CAGCTGTCAG	ጥሮሮሞልሮ	
							recire	
Af035835			 GTGAGGCCAGA				II II GCCCAC	
	010010		920	930	940	950	960	
	950	960	970	980	990	1000		
Hn540-1.Dna	AACAGC	GTGTCTGCA	GGGACCCAGGA	AGAGAAGCAT	CACACTACAC	GTCACCTTT		
Af035835								
,	12101100	970	980	990	1000	1010	1020	
1	1010	1020	1030	1040	1050	1060		
Hn540-1.Dna	AGCGCC		CTGGGATCTGT		GGAGAACAAC: 			
Af035835	AGTGCC	ATTATTATC	TTGGGATCTGC					
		1030	1040	1050	1060	1070	1080	
	.070	1080	1090	1100	1110	1120		
Hn540-1.Dna	TGCCTG	ACCAAGTCCA 	AGTCGCCCACG	GGTCCTGCT	GCGATGGTGG	TTGGGTGGA	CGGCAG 	
Af035835	TGTGTC.	AGCAAGTCC <i>I</i>	AGTCGCCCGCG	GGTTCTGCT	ACGATGGTGG	CTGGGCTGG		
		1090	1100	1110	1120	1130	1140	
1 Hn540-1.Dna	.130 - СТССТС	1140	1150 SAGACAGTCAT	1160	1170	1180	ስጥርጥርር	
I.plia			HILLILL					
Af035835			SAGACAGTCAT					

17.10.2000/13

CTGCGGATTCACCATGCCAAACTGGCCCAGGCTGCGCTTACCAGTGCATTGTGGACAAT

Af035835

Hn540-1.Dna GACAGTGGATTGACGGACAAGGGGGTCTCCGTCACTACCCCAGGCCCCGACCAG

Page -30-

```
/11 11 1 11111 1111 1111 1 11
                                                   \mathbf{H}
          GACAGTGGACTGACAAAGGGACCCAGCTTCCCATCACTACCCCAGGTCTCCACCAG
Af035835
                                 3090
                3070
                        3080
                                         3100
                                                  3110
         3110
                 3120
                          3130
                                   3140
                                           3150
                                                   3160
          GCTCCTGAAGACACAGACCACCAGCTGCCCACAGAGCTGCCTCCAGGACCCCCAAGGCTG
Hn540-1.Dna
            CCTTCTGGAGAACCTGAAGACCAGCTGCCCACAGAGCCACCTTCAGGACCCTCGGGGCTG
Af035835
                3130
                        3140
                                 3150
                                         3160
                                                  3170
         3170
                 3180
                          3190
                                   3200
                                           3210
                                                    3220
Hn540-1.Dna CCCCTGCTGCCTGTGCTCTTTGCAGTTGGTGGTCTTCTGCTGCTCCCAATGCCTCCTGT
           Af035835
                3190
                        3200
                                 3210
                                         3220
                                                  3230
         3230
                 3240
                          3250
                                   3260
                                           3270
                                                    3280
          GTTGGGGGTCTCCTCTGGCGGAGAAGACTGAGGCGCCTTGCTGAGGAGATCTCAGAGAAG
           GTCGGGGGGTCCTCTGGCAGCGGAGACTCAGGCGTCTTGCTGAGGGCATCTCAGAGAAG
Af035835
                3250
                        3260
                                 3270
                                         3280
                                                  3290
         3290
                 3300
                             3310
                                     3320
                                              3330
Hn540-1.Dna ACAGAGGCAGGGTCGGAGGACAGGATCAGGAATGAATATGAGGAGAGTCAGTGGACT
         ACAGAGGCAGGGTCGGAAGAGGACCGAGTCAGGAACGAATATGAGGAGAGCCAGTGGACA
Af035835
                                                  3350
                3310
                        3320
                                 3330
                                         3340
                    3360
                             3370
                                     3380
                                              3390
                                                      3400
          GGGGACCGGGACACGAGAAGCTCCACGGTTAGCACAGCAGAAGTGGACCCAAATTACTAC
                          GGAGAGCGGGACACTCAGAGCTCCACGGTCAGCACAACAGAGGCAGAGCCGTATTACCGC
Af035835
                3370
                        3380
                                 3390
                                         3400
                                                  3410
                                                           3420
                  . 3420
                             3430
                                     3440
                                             3450
          TCCATGAGGGACTTCAGCCCCCAGCTTCCCCCAACACTGGAGGAGGTGCTGTATCACCAA
Hn540-1.Dna
           TCCCTGAGGGACTTCAGCCCCCAGCTGCCCCCGACGCAGGAGGAGGTGTCTTATTCCCGA
Af035835
                3430
                        3440
                                 3450
                                         3460
                                                  3470
            3470
                    3480
                             3490
                                     3500
                                              3510
          GGTGCTGAAGGCGAGGACATGCCTTCCCCGGACACCTGCATGATGAAGTGGAGAGAGCC
Hn540-1.Dna
                 111 11 11
           GGTTTCACAGGTGAAGATGAGGATATGGCCTTCCCTGGGCACTTGTATGATGAGGTAGAA
Af035835
                3490
                        3500
                                 3510
                                         3520
                                                  3530
Hn540-1.Dna
Gcg_Geneseq_D:Z25338
    Z25338 standard; cDNA; 4285 BP.
ID
AC
    Z25338;
    17-DEC-1999 (first entry)
חידים
DΕ
    Human nephrin nucleotide sequence.
KW
    Human; nephrin; NPHS1 gene; basement membrane disease; proteinuria;
    nephrotic syndrome; kidney disease; diagnosis; clinical nephrology;
KW
    glomerular filtration barrier; glomerulonephritis; ss.
KW
OS
    Homo sapiens.
FH
    Key
                 Location/Oualifiers
FT
    CDS
                 1. .3726
FT
                  /*tag= a
FT
                 1. .66
    sig peptide
FT
                 /*tag= b
                 /note= "putative signal peptide"
FT
FT
    mat peptide
                 67. .3723
```

```
/*tag=
                  121. .122
FT
    misc feature
                  /*tag= d
FT
                  /note= "deletion mutation FIN-Major"
FT
    misc_feature
FT
                  3800. .3804
                  /*tag= e
FT
                  /note= "nonsense mutation in exon 26 FIN-Major"
FT
                  3178. .3258
FT
    misc feature
                  /*tag= f
FT
                  /note= "putative transmembrane domain"
FT
ΡN
    WO9947562-A1.
    23-SEP-1999.
PD
    16-MAR-1999; U05578.
PF
    18-MAR-1998; US-040774.
PR
    (BIOS-) BIOSTRATUM INC.
PΑ
    Tryggvason K, Kestila M, Lenkkeri U, Mannikko M;
ΡI
    WPI; 1999-590967/50.
DR
DR
    P-PSDB; Y42167.
    New isolated nucleic acid (gene) encoding nephrin useful in methods for
PT
    screening for susceptibility to basement membrane disease
PΤ
    Claim 1; Page 34-42; 60pp; English.
PS
    The present sequence represents the NPHS1 gene which encodes nephrin.
CC
    The present invention describes methods for the treatment of an
CC
    individual with basement membrane disease by administration of the
CC
    nephrin protein, as well as methods of gene therapy using therapeutic
CC
    nucleic acid constructs containing an expressible nucleic acid with
CC
CC
    the NPHS1 sequence. NPHS1 appears to solely affect the kidney and
    therefore provides a unique model for studies on the glomerular
CC
    filtration barrier. Abnormal function of the filtration barrier is a
CC
CC
    major complication in many clinically important kidney diseases such as
    nephrotic syndromes and glomerulonephritides and therefore this
CC
    invention will help in the understanding of clinical nephrology.
CC
CC
    The identification of the NPHS1 gene immediately finds applications
CC
    for diagnosis of the disease.
              4285 BP;
                        886 A;
                                 1294 C;
                                           1302 G;
                                                    803 T; . . .
SO
    Sequence
          Init1: 11557 Initn: 12214 Opt: 12066 z-score: 17125.7 E():
SCORES
 83.1% identity in 3474 bp overlap
                                     20
Hn540-1.Dna
                      ATGTCCAGTTTGACTCCCCTGCTGCTCATGGGAATGCTGACCTCAGGC
                               Z25338
                                            40
                                                     50
                                    30
           50
                    60
                             70
                                     80
                                              90
                                                      100
           Hn540-1.Dna
           11111
                 -111111
                        Z25338
           70
                           80
                                           100
                                                   - 110
                                                             120
                            130
                                    140
                                             150
           \tt CTGACTGCGGTGGAAGGGACAACAGTTAAGCTATGGTGCGGTGTCAGGGCCCCTGGCAGT
Hn540-1.Dna
           Z25338
           CTGACGGTGGTGGAGGCCTCAGTGGAGCTGCGTTGTGGGGTCAGCACCCCTGGCAGT
                 130
                          140
                                   150
                                           160
                                                    170
          170
                   180
                            190
                                    200
                                             210
                                                      220
Hn540-1.Dna GTGGTGCAGTGGGCTAAGGATGGGCTGCTTCTGGGTCCAAACCCGAAGATGCCAGGCTTC
           Z25338
           GCGGTGCAATGGGCCAAAGATGGGCTGCTCCTGGGCCCCGACCCCAGGATCCCAGGCTTC
                 190
                          200
                                  210
                                           220
                                                    230
                                                             240
```

Z25338

GACTCGCGCACCGTGACCGAGTCGCGGCTGCCGCAGGAGTCGCGGCGCGTGCATCTCGGC

Hn540-1.Dna TGGACCTTCCGAGGCTACCGCCTCAGCCCAGCTGGGGGTCCCCGGCACCGTATCCTGTCT TGGACCTTCCGCGGCTATCGCCTCAGTCCAGCGGGCGCCCCCGGCATCGCATCCTGTCC Hn540-1.Dna GGAGGGGCTCTGCAGCTGTGGAATGTGACCCGAGCTGACGATGGCTTTTATCAGCTGCAC AGCGGGGCTCTGCATCTGTGGAATGTGACCCGCGCGGACGACGGCCTCTATCAGCTGCAC Z25338

2120

2130

0

2 Hn540-1.Dna Z25338	150 2160 TGCCAGAACTCAGA              TGCCAGAACTCTGA 2170		GAGGCGCTGT'	11 11111		[
2 Hn540-1.Dna	210 2220 ACCATCCGTGCCCT					
Z25338	ACCATCCGTGCCCT 2230	CCAGGACCCC 2240		ACGTCGGGGG 2260	TTCTGTGGAG 2270	CATAGTC 2280
2 Hn540-1.Dna Z25338	270 2280 TGCACCGTTGACGC                TGCACTGTCGATGC 2290		CTCCCAGAGA'             CTCCCGGGCA'	111111	пиниі	
	330 2340 GAAGAGGAGGATCT	2350 GAACCTGGAC			2380 GGGATCÇAC	GGGGCGT
Z25338	 GATGAGGAGGACCA 2350	GAGCCTGGAT		AGATATCCAG	GGGACCAAC	
2 Hn540-1.Dna Z25338	390 2400 CTGCGGATTCGCCA             CTGCGGATTCACCA 2410	 TGCCAAACTG	111111111	GCGCTTACCA	GTGCATCGT	
2	450 2460	2470	2480	2490	2500	
Hn540-1.Dna Z25338	GGGGTGGCTCCTGC           GGGGTGGCGCCTCC 2470	111 11 1		1111111		111111
2: Hn540-1.Dna Z25338	510 2520 GATCAGCCTACTCC II II II IIIII GAGCACCCCACTCC 2530	CCTAACAAAA(				11111
25 Hn540-1.Dna Z25338	570 2580 CTGCACTGCCGTGCCIIIIIIIIIIIIIIIIIIIIIIIII				111 11111	11111
26 Hn540-1.Dna Z25338	630 2640 CCTCTGGATCTCCAA              CCTCTGGATCTCCAA		1111 11111	11 11111	1111111111	111111
	2650	2660	2670	2680	2690	2700
26 Hn540-1.Dna Z25338	590 2700 AGCAGCCTCTTGACC IIIIIIII IIIII AGCAGCCTCCTGACC 2710	!	111111111111111111111111111111111111111	111111	.11111111	1 111
	750 2760 ACGGCCACCAATGCC	2770. CTTGGCTCTG	2780 ACCACACCAA	2790 CATCCAGCTO	2800 CGTCAGCATC	AGCCGC

